

Houserider P3 Purmerend Bands.

Route & contact

- Purmersteenweg 17-19, 1441 DK Purmerend
- Tel: +31(0)299 411230 Fax: +31 (0)299 411249
- Technical contact: Ferry Veenman 0654968202 ferry@p3purmerend.nl
- Production contact: P3 Purmerend 0299411230 (ask for production) productie@p3purmerend.nl

Stage specs:

- Main hall: 11,50m x 5,50m. 1m high. Clearance: 8,50 m
- Small hall: 9m x 6m. 1m high. Clearance: 6,50m

Load in:

- Main Hall: Sheltered loading dock, Loadlevel 1m above street level. Ramp available for trucks.
- Small Hall: Doors at back of stage, loadlevel 1m above street level.
- Both hall's have a stage lift to get heavy things of the stage onto audience level.

Stagehands:

- We do not provide stagehands, we do however have a very friendly crew who will help out during load in/out.

Merchandise:

- We can provide a merchandise booth. Small hall inside the venue. Main hall we will provide a place outside the venue in the foyer.

Decor:

- All decor pieces have to be fire resistant. A certificate has to be provided with backdrops. Otherwise we will conduct a fire test, hereby we will set fire to a small piece of your backdrop.
- All décor pieces of wood, or other constructions that need to be flow into our trusses have to come with proper rigging material to hang it from our trusses. All sorts of clamps and steels are available widely on the market to make the construction save. We do have the right to not fly your décor when we think it's not save to fly.

Timetable:

- We have a standard time table which we like to hold onto:

15.00	getin lightcrew P3
16.00	getin Soundcrew P3
17.00	getin main act
17.00 – 19.00	Setup & Soundcheck main act
19.00 – 19.30	Diner
19.30 – 20.15	Setup & Soundcheck support

20.30	Doors
21.00 – 21.30	Support show
21.30 – 22.00	Change over
22.00 – 23.30	Main act show
01.00	Curfew

Other things:

- The use of confetti and pyrotechnics, is prohibited. When you choose to use confetti without written permission cleaning fee will be applied.
- Stagedecks we've got a lot of them. In different heights 20,40,60(max 2 decks)100 cm (Can not! be used as dance stage decks for audience)

DB-limit:

- P3 takes part in the Dutch hearing covenant and we strictly use a db limit of 103 dBA Laq measured over 15 minutes at the FOH using a 10Eazy log system.
- Our technician is allowed to maintain the dB level controlling the master bus, any discussion will lead in insertion of limiters in the main PA.



Audio:

PA Main Hall:

4	Martin Audio H-3	FR 3 way Speakers	15",10",1"
4	Martin Audio S218	Sub Speakers	2 x 18"
4	Martin Audio W-2	Front Infill speakers	12", 1"4

PA Small Hall:

- 2 Martin Audio S218 Sub Speakers 2 x 18"
- 6 Martin Audio W-3 Speakers 15", 6", 1"

Mics:

2	Shure beta 91
1	Shure beta 52a
3	Shure beta 57a
4	Shure beta 58a
5	Shure SM 57
5	Shure SM 58
1	Sennheiser E904
6	Sennheiser E604
1	Sennheiser E906
2	Sennheiser 421
4	Octava MK-012
2	AKG CK91
2	AKG C430
2	AKG C 451
8	ASL active DI
1	AKG D112

Consoles:

Soundcraft VI1 FOH Console

Soundcraft Expression 3 Monitor Console

~~Allen&Heath ML4000 + FX rack~~ (Yamaha SPX 2000, TC M One XL multi FX, TC D Two delay, XTA GQ600 system E, XTA G2 dual gate, XTA G2 dual compressor/limiter, DBX1066 dual compressor/limiter/gate, CD player)

20 Martin Audio LE-12JB Floor monitors

4 Martin Audio S-15 Sub-woofer fills

Lights:

Consoles:

- Avolites Pearl Expert Titan, no touchwing! (Titan version 9.1)
- Avolites Pearl 2008

Fixtures:

- Robe 575 AT colorspots
- Robe LEDwash 300
- Parcans
- Titan Strobes.

Light plots and patch list are available on request.